

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
B16-601	CFA Fire Station #2 north of ICPP	One story. Walls: concrete block. Roof: steel. Floor: concrete.	Built: 1958 Status: demolished 1995. Use: storage of fire fighting equipment.	Decontamination and Dismantlement File	Eliminate - 3
B16-601	CFA Fire Station #2 Training Facility Drafting Pit	Concrete well.	Built: 1958 Status: inactive Use: testing of fire water pumps.	Standard Number Assignments for INEL Buildings, Structures and Roads (SDT-7026)	Eliminate - 3
B16-703	Fire Station #2 Fire Pits and 500 gallon Gasoline Tank	Asphalt pad with concrete walled fire pits.	Built: 1958 Status: demolished 1997. Use: fire training.	OU 4-05/CFA-17 CFA-47	Eliminate - 1
B16-704	Fire Training Tower at Fire Station #2	Concrete tower, simulated four story building.	Built: 1958 Status: inactive Use: inactive, formerly used for fire training.	Standard Number Assignments for INEL Buildings, Structures and Roads (SDT-7026)	Eliminate - 3
B16-705	Water Tank at Fire Station #2	See Table 2			
B16-706	Meteorological Tower	tower	Installed: assumed 1952, during construction of Fire Station No. 2. Status: inactive. Use: meteorological equipment.	"	Eliminate - 3
B16-607	Training and Storage Building	One story. Walls: steel frame Roof: steel. Floor: concrete.	Built: 1982. Status: inactive Use: storage of fire fighting equipment.	Decontamination and Dismantlement File	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
B16-708	Evaporation Pond for Fire Station #2 Training Facility		Installed: assumed 1952, during construction of Fire Station No. 2. Status: removed Use: catch basin for waste products from fire training pad.	OU 4-05/CFA-17 CFA-47	Eliminate - 1
B16-709	Monitoring Sump for Evaporation Pond of Fire Station #2 Training Facility	Monitoring Sump.	Built: assumed 1952 during construction of Fire Training Facility. Status: inactive Use: storage of fire fighting equipment.	OU 4-05/CFA-17 CFA-47	Eliminate - 1
B21-602	Storage Building at Gun Range		Built: 1950, demolished 1989. Status: inactive Use: storage of equipment.		Eliminate - 3
B21-603	Gun Range Gatehouse		Built: date unknown Status: demolished, date unknown. Use: storage of equipment.		Eliminate - 3
B21-604	Control building Antelope Sustation		Built: date unknown Status: inactive Use: control building for substation.		Eliminate - 3
B21-605	Gun Range Generator Building		Built: date unknown Status: inactive Use: houses generator.		Eliminate - 3
B21-606	Guardhouse on Van Buren (between West Portland and Highway 20)	one story walls: frame structure roof: steel	Built: 1984 Status: active Use: security check station.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
B21-607	Weapons Range Complex Pumphouse	one story walls: steel frame structure floor: concrete roof: steel	Built: 1989 Status: active Use: housing for well and pump.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
B21-608	Weapons Range Complex Range House	one story walls: concrete prefabricated modular floor: concrete roof: composition	Built: 1989 Status: active Use: weapons range	"	Eliminate - 3
B21-609	Weapons Range Complex Range 3 Control House and Firing Line Cover	one story walls: prefabricated modular floor: concrete roof: composition	Built: 1989 Status: active Use: weapons range	"	Eliminate - 3
B21-610	Weapons Range Complex, Range 5 Control House and Firing Line Cover	one story walls: prefabricated modular floor: concrete roof: composition	Built: 1989 Status: active Use: weapons range	"	Eliminate - 3
B21-611	Weapons Range Complex, Range 1 Firing Stand Enclosure	one story walls: prefabricated modular roof: composition	Built: 1989 Status: active Use: weapons range	"	Eliminate - 3
B21-612	Waste Management Landfill, Operations Office Trailer, Located North of CFA Substation	Office Trailer	Built: 1984 Status: active Use: offices	"	Eliminate - 3
B21-620	Substation Control Building	one story walls: reinforced concrete	Built: 1984 Status: active Use: substation controls	"	Eliminate - 3
B21-703	Target Pits at Gun Range	NA	NA	"	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
B21-704	Gun Range Observer Tower	tower	Built: date unknown Status: inactive Use: observation tower	Standard Number Assignments for INEL Buildings, Structures and Roads (SDT-7026)	Eliminate - 3
B21-705	Personel Bunkers	bunker	Built: date unknown Status: active Use: vault/bunker (explosives)	Explosives Safety Procedure MCP-2734	Eliminate - 2
B21-706	Munitions Bunker	bunker	Built: date unknown Status: active Use: vault/bunker (explosives)	"	Eliminate - 2
B21-707	Munitions Bunker	bunker	Built: date unknown Status: active Use: vault/bunker (explosives)	"	Eliminate - 2
B21-708	Munitions Bunker	bunker	Built: date unknown Status: active Use: vault/bunker (explosives)	"	Eliminate - 2
B21-710	Long Range Rifle Range (Range 1)	rifle range	Built: date unknown Status: active Use: rifle range	"	Eliminate - 2
B21-711	Shotgun and Steel Range (Range 2)	rifle range	Built: date unknown Status: active Use: rifle range	"	Eliminate - 2
B21-712	Qualification Range	rifle range	Built: date unknown Status: active Use: rifle range	"	Eliminate - 2
B21-713	Known Distance Sniper Range (Range 5)	rifle range	Built: date unknown Status: active Use: rifle range	"	Eliminate - 2

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
B21-714	Tactical Range (Range 6)	rifle range	Built: date unknown Status: active Use: rifle range	Explosives Safety Procedure MCP-2734	Eliminate - 2
B21-715	Indoor Pistol and Rifle Shooting Range (Range 8)	rifle range	Built: date unknown Status: active Use: rifle range	"	Eliminate - 2
CFA-B21	Storage Shed	One story metal shed near CFA 601.	Installed: date unknown. Status: active. Use: storage shed.	1995 SARA Title III	Eliminate - 3
CFA-601	Warehouse	One story. Walls: concrete block. Roof: concrete on steel beams, built up roof. Floor: concrete.	Built: 1950. Status: active. Use: general storage	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-602	Field Engineer and Materials Test Lab	One story. Roof: composition on steel deck on bar joist. Walls: reinforced masonry with "Dryvit" exterior finish. Floors: reinforced concrete.	Built: 1969. Status: active. Use: offices, materials testing laboratory for soil, concrete, asphalt, reinforcing bar and structural bolts. Also, a "fog" room for concrete curing. Built: 1950, remodeled: 1981.	"	Eliminate - 3
CFA-603	Medical Dispensary	One Story (part basement). Walls: wood frame with new 8-in. reinforced concrete. Floor: concrete. Roof: built up, metal deck.	Status: inactive 1996. Use: doctors offices, medical examination and treatment rooms, x-ray and decontamination rooms, laboratory, and garage.	"	Eliminate - 2
CFA-604	Emergency Generator	One story. Walls: Concrete block. Floor: concrete.	Built: 1983. Status: inactive 1995. Use: emergency power	"	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-605	Materials Testing Lab	One story. Walls: concrete. Roof: reinforced concrete. Floor: concrete	Built: 1950. Status: demolished 1994. Use: offices and testing laboratory for concrete block and metal stress testing.	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-605-W	Fuel Tank southwest of CFA-605	See Table 2.			
CFA-606	Emergency Communication Center	One story with basement. Roof: wood joists, wood shingles. Walls: wood frame with brick veneer. Floor: wood. Basement: concrete.	Built: 1942, remodeled 1979. Status: demolished 1995. Use: office and some storage of diesel fuel additive in basement.	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-606-E1	Fuel Tank at CFA-606				
CFA-606-E2	Fuel Tank at CFA-606	See Table 2.			
CFA-607	Operations and Utilities	One story with basement Roof: wood joists Walls: wood frame, brick veneer. Floor: wood Basement: concrete	Built: 1942 Status: active Use: office and a small lab for environmental monitoring	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-608	Navy Housing	One Story with basement. Walls: wood frame. Roof: composition.	Built: 1940s. Status: demolished, date unknown. Use: housing.	Drawing No. 188-070560396118566	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-608 facility number reused	Security Helicopter Hanger	One story. Preengineered metal building. Roof: corrugated sheet metal. Extra large entry doors. Floor: concrete.	Built: 1984. Status: active. Use: formerly used for helicopter hanger and maintenance. Now used for general storage.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-609	Navy Housing	One Story with basement. Walls: wood frame. Roof: composition.	Built: 1940s. Status: demolished, date unknown. Use: housing.	Drawing No. 188-070560396118566	Eliminate - 3
CFA-609 facility number reused	Security Headquarters	One story. Preengineered metal building. Roof: corrugated sheet metal. Floor: concrete	Built: 1988. Status: active. Use: security headquarters offices, training facilities, weapons storage, boiler room, and garage.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-610	Navy Housing	One Story with basement. Walls: wood frame. Roof: composition.	Built: 1940s. Status: demolished, date unknown. Use: housing.	Drawing No. 188-070560396118566	Eliminate - 3
CFA-611	Navy Housing	One Story with basement. Walls: wood frame. Roof: composition.	Built: 1940s. Status: demolished, date unknown. Use: housing.	Drawing No. 188-070560396118566	Eliminate - 3
CFA-611 facility number reused	Change House West of CFA-633 Temporary Field Trailer	Trailer.	Built: 1991. Status: active, presently located near Virginia Street. Use: lockers and dressing room for construction workers.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-612	Navy Housing	One Story with basement. Walls: wood frame. Roof: composition.	Built: 1940s. Status: demolished, date unknown. Use: housing.	Drawing No. 188-070560396118566	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-612 facility number reused	Office Building and Environmental Laboratory	One story. Roof: corrugated sheet metal. Floor: concrete.	Built: 1983. Status: active. Use: offices, classrooms, laboratories for analysis of drinking water and air samples collected at INEL.	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-613	Bunkhouse	One story with basement. Brick exterior walls, wood interior framing or steel frame with metal panel walls. Roof: wood joists. Floor: wood. Basement: concrete.	Built: 1942. Status: inactive 1995. Use: visitor housing.	"	Eliminate - 3
CFA-614	Office Building	One story. Roof: corrugated sheet metal. Floor: concrete.	Built: 1986. Status: active. Use: offices.	"	Eliminate - 3
CFA-615	Office Building	One story. Walls: metal. Roof: corrugated metal. Floor: concrete.	Built: 1990. Status: active. Use: offices.	"	Eliminate - 3
CFA-616	Landlord Storage	One story. Walls: metal. Roof: metal. Floor: concrete.	Built: 1983. Status: active. Use: miscellaneous storage.	Site Development Plan (1990)	Eliminate - 3
CFA-617	Laundry Decontamination Facility	One story. Walls: concrete. Roof: built-up. Floor: concrete.	Built: 1981. Status: inactive 1995. Use: decontamination radiologically contaminated laundry.	CFA Building and Structure Utilization Database, 1998	Eliminate - 2
CFA-619	Equipment Building	One story. Walls: metal. Roof: metal.	Built: 1989. Status: active. Use: electrical and mechanical utility building.	"	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-620	Emergency Power Supply Bldg.	One story.	Built: 1952. Status: demolished, date unknown. Use: storage of emergency equipment.	Plan Nos. 161936-161941	Eliminate - 3
CFA-621	Multicraft Shop #1	Two story. Walls: metal. Roof: corrugated metal. Floor: concrete.	Built: 1983. Status: active. Use: offices, electrical shops, mechanical shop, material fabrication, and equipment storage.	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-622	Multicraft Shop #2	Two story. Walls: metal. Roof: corrugated metal. Floor: concrete.	Built: 1985. Status: active. Use: sheet metal fabrication shop, welding, pipe fitting, and offices.	"	Eliminate - 4
CFA-623	Multicraft Shop #3	Two story. Walls: metal. Roof: corrugated metal. Floor: concrete.	Built in 1986. Status: active. Use: offices, carpentry shop, paint shop, sign shop, sandblasting room, and equipment storage.	"	Eliminate - 4
CFA-624	Multicraft Shop #4	Two story. Walls: metal. Roof: corrugated metal. Floor: concrete.	Built: 1986. Status: active. Use: offices, craft shops, and equipment storage.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-625	Laboratory Complex	Two story. Walls: metal. Roof: corrugated metal. Floor: concrete.	Built: 1989. Status: active. Use: analytical laboratories for research purposes, some low-level radiological samples may be handled.	"	Eliminate - 4

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-627	Office Building	One story with basement. Walls: wood frame.	Built: 1940s. Status: demolished, date unknown. Use: living quarters, later used as offices.	Plan No. 340191	Eliminate - 3
CFA-628	Office Building	One story with basement. Walls: wood frame.	Built: 1940s. Status: demolished, date unknown. Use: living quarters, later used as offices.	Plan No. 340183	Eliminate - 3
CFA-629	Office Building	Two story. Walls: metal. Roof: metal. Floor: concrete.	Built: 1979. Status: active. Use: offices, calibration of radiation detection equipment.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-630	Office Building	One story with basement. Walls: wood frame.	Built: 1940s. Status: demolished, date unknown. Use: living quarters, later used as offices.	Plan No. 340189	Eliminate - 3
CFA-631	Office Building	One story. Walls: wood frame.	Built: 1940s. Status: demolished, date unknown. Use: living quarters, later used as offices.	Plan No. 340192	Eliminate - 3
CFA-632	Boiler Operatory Lunch Room	One story. Walls: wood frame with brick. Roof: wood joists. Floor: wood.	Built: 1945. Status: active. Use: lunch room, storage of workers personal items, and office work.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-633	Instrumentation Lab, Chemistry Lab, High Bay Addition	One story. Walls: concrete block. Roof: composition. Floor: concrete.	Built: 1942, remodeled in 1981. Status: active. Use: offices, labs, storage of flammable liquids and bottled	Hazard Assessment for CFA (INEL-95/0008) and 1995 SARA Title III	Eliminate - 4
CFA-634	Acid Storage Building	One story. Walls: concrete. Roof: built-up.	Built: 1942. Status: demolished, date unknown. Use: storage of Naval projectiles.	CFA Building and Structure Utilization Database, 1998	Eliminate - 2
CFA-635	Hazardous Mix Waste Storage	One story. Roof: earth cover over concrete. Floor: concrete	Built: 1950. Status: active. Use: explosive storage, now used for storage of clean, empty drums.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 2
CFA-636	Storage building	One story, small reinforced concrete structure.	Built: 1943. Status: inactive. Use: storage of primers and fuses for Naval ordnance.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-637	Hazardous Chemical Storage	One story. Walls: concrete. Roof: earth cover over concrete. Floor: concrete	Built: 1943. Status: active. Use: hazardous waste storage.	INEL Facility Report (12/5/96) and RCRA Part "B" Final Permit	Eliminate - 4
CFA-638	DOE Laboratory Accreditation Program Irradiation Facility	One story. Walls: concrete. Roof: earth cover over concrete. Floor: concrete.	Built: 1943. Status: active. Use: storage of radiological source material and X-ray machine.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-639	Security Ammunition Bunker	One story. Walls: concrete. Roof: earth cover over concrete. Floor: concrete.	Built: 1950. Status: active. Use: storage of ammunition.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-640	Storage and Sling Tester	One story with small second floor on north end (12' x 12'). Walls: concrete block and brick. Roof: wood joists. Floor: concrete.	Built: 1950. Status: demolished: 1995. Use: locomotive repair, equipment storage, laboratory, and sling tester.	INEL Emergency Plan/RCRA Contingency Plan (PLN-114) and 1995 SARA Title III	Eliminate - 4
CFA-641	Potable Water Pumphouse	One Story. Walls: concrete block. Roof: reinforced concrete. Floor: concrete.	Built: 1949. Status: inactive. Use: electric pump for firewater and domestic water.	Site Development Plan (1990)	Eliminate - 3
CFA-642	Deep Well No. 2 Pumphouse	One story. Walls: brick. Roof: reinforced concrete. Floor: concrete	Built: 1949. Status: active. Use: electric pump, water chlorination system.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-643	Office Trailer	Trailer.	Installed: 1977. Status: active. Use: offices.	"	Eliminate - 3
CFA-644	Mountain Bell Garage Battery Attendant Garage	One story. Walls: wood frame. Roof: built-up.	Built: 1940s. Status: demolished, date unknown. Use: garage.	Plan Nos. 112220, 340203	Eliminate - 3
CFA-645	Service Station Island Pumphouse	One story. Walls: concrete block. Roof: composition. Floor: concrete.	Built: 1960. Status: demolished 1997. Use: air compressor, electric water heater, and a 55-gal oil drum.	INEL Emergency Plan/RCRA Contingency Plan (PLN-114)	Eliminate - 4
CFA-645 (tank)	Above Ground Storage Tank at CFA 645	See Table 2.			
CFA-646	Storage Building	One story. Walls: metal. Roof: metal. Floor: concrete.	Built: 1960. Status: inactive Use: storage of mechanic supplies, motor oil, vehicle fluids, and mechanical parts.	CFA Building and Structure Utilization Database, 1998	Eliminate - 2

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-649	Storage Building	One story. Walls: concrete. Roof: composition. Floor: concrete.	Built: 1950. Status: demolished 1995. Use: storage of materials and shredder.	INEL Facility Report (12/5/95)	Eliminate - 3
CFA-650	Heating Plant	One Story. Walls: concrete. Roof: composition on concrete. Floor: concrete.	Built: 1950. Status: active. Use: houses 2 boilers and storage of signs.	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-651	Deep Well No. 1 Pumphouse	One story. Walls: brick. Roof: shingles. Floor: concrete.	Built: 1949. Status: active. Use: pump house for Well No. 1.	"	Eliminate - 3
CFA-652	Office Trailer	Trailer.	Built: 1977. Status: active Use: office.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-653	Meteorological Balloon Shelter	One story. Walls: corrugated steel. Roof: corrugated steel. Floor: concrete.	Built: 1960. Status: demolished date unknown. Use: storage of gas bottles.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 2
CFA-654	Landlord Craft Operations and Gas Bottle Storage	One story. Walls: concrete. Roof: composition on wood trusses. Floor: concrete.	Built: 1950. Status: demolished and removed, 1995. Use: craft shop, offices and cylinder storage.	"	Eliminate - 3
CFA-655	Hazardous Waste Office Trailer next to CFA 637	Office Trailer	Built: 1986. Status: active. Use: offices and equipment storage.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-656	Storage Building (formerly Auxiliary Generator and Temporary Accumulation Area).	One story. Walls: concrete. Roof: composition. Floor: concrete.	Built: 1950. Status: demolished 1995. Use: storage of equipment.	1995 SARA Title III	Eliminate - 3
CFA-657	Pumphouse	One story. Walls: brick. Roof: composition on reinforced concrete. Floor: concrete.	Built: 1953. Status: inactive 1995. Use: houses 3 sewage pumps.	OU 4-08/CFA-08	Eliminate - 1
CFA-658	Office Building	One story with basement. Walls: wood frame.	Built: 1940s. Status: demolished, date unknown. Use: living quarters, later used as offices.	Plan No. 340220	Eliminate - 3
CFA-658 (facility number reused)	Office Trailer	Office trailer.	Built: Unknown. Status: no longer in use, date unknown. Use: offices.	Plan No. 340220	Eliminate - 3
CFA-659	Office Trailer	One story. Walls: wood frame.	Built: 1940s. Status: no longer in use, date unknown. Use: offices.	Plan No. 111253	Eliminate - 3
CFA-660, A	Bus Driver Lounge and Equipment Operation Office	One story. Walls: concrete block. Roof: composition on prestressed concrete beams. Floor: concrete.	Built: 1963. Status: active. Use: lounge, showers, and lockers.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 3
CFA-661	Material Staging Area across from CFA-654	One story. Walls: corrugated steel. Roof: corrugated steel. Floor: concrete.	Built: 1963. Status: active. Use: offices and storage of equipment, spare parts, and surplus equipment.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-662	Cafeteria	One story with basement. Walls: concrete block. Roof: composition on wood beams and composition on concrete on steel beams. Floor: concrete.	Built: 1963. Status: active. Use: cooking area, bakery, food storage, cold boxes, boiler room, dining area, and conference room. Built: 1990.	"	Eliminate - 3
CFA-663	Lithologic Core Storage Library	One story. Walls: metal. Roof: corrugated metal. Floor: concrete.	Status: active. Use: storage, cataloging, and analysis of geologic core materials. Built: 1951.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-664	Service Station (Vehicle Inspection Building)	One story. Walls: concrete block. Roof: composition steel deck on steel beams. Floor: concrete.	Status: inactive 1995. Use: 1951 to 1995 - pumps for gasoline, lube oil, and antifreeze, 55-gal drums of oil and solvent, hot water blast cleaner for engines, wash racks for buses, tire change area, and storage. Built: 1951.	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-665	Equipment Repair Building	One story with high-bay area. Walls: corrugated iron on steel frame. Roof: composition. Floor: concrete.	Status: demolished 1997. Use: 1951 to 1995 - large vehicle repair; 1995 to 1996 - storage of excess equipment.	"	Eliminate - 3
CFA-666	DOE-ID Fire Station	One story. Walls: concrete block. Roof: composition on metal deck on bar joists. Floor: concrete.	Built: 1951. Status: active. Use: offices, training areas, living and garage area, storage of fire fighting equipment, alarm center for INEL, and bottled gas storage.	"	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-667	Storage Building	One story. Walls: corrugated steel. Roof: corrugated steel on steel frame. Floor: concrete.	Built: 1951. Status: active. Use: warehouse space for receiving and storage of empty drums and excess equipment.	"	Eliminate - 3
CFA-668	Communications Building	One story, part basement. Walls: concrete block. Roof: composition on metal deck and precast concrete beams. Floor: concrete.	Built: 1951. Status: active. Use: telephone switchgear, battery and boiler rooms, and office.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-669	Old Laundry Facility	One story. Walls: concrete block. Floor: concrete.	Built: 1950. Status: demolished 1995. Use: radiological laundry facility.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 2
CFA-670	Building	Unknown.	Built: unknown. Status: demolished, date unknown. Use: unknown.	INEL Facility Report (12/5/95)	Eliminate - 3
CFA-671	Boiler House Heating Plant	One story. Walls: concrete block. Roof: composition on steel deck on bar joists. Floor: concrete.	Built: 1951. Status: active Use: houses 2 large boilers.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-672	Tire Warehouse	One story. Walls: corrugated steel. Roof: corrugated steel on steel frame. Floor: concrete.	Built: 1951. Status: demolished 1997. Use: annex for CFA-665 used for storage for tires, windshields, and other heavy equipment parts.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-673	Storage Building near CFA-665	One story. Walls: steel. Roof: steel. Floor: concrete.	Built: 1988. Status: demolished 1997. Use: oil storage.	Site Development Plan (1990)	Eliminate - 3
CFA-674	Excess property, furniture warehouse and photographic laboratory	One story. Walls: concrete block. Roof: composition on steel deck on steel columns. Floor: concrete.	Built: 1952. Status: active. Use: warehouse for storage of surplus property and records, video studio on south end. Used as a laboratory from 1953 to 1965 to perform experiments in nuclear fuel processing.	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-675	Generator Building at CFA-603	One story. Walls: wood frame. Roof: corrugated metal. Floor: concrete.	Built: 1963. Status: inactive. Use: houses emergency generator for CFA-603 Medical Dispensary.	"	Eliminate - 3
CFA-676	DOE Equipment Storage	One story. Walls: corrugated steel. Roof: corrugated steel on steel frame. Floor: concrete.	Built: 1963. Status: active. Use: storage of excess equipment, occasional temporary storage of low-level radioactive waste.	"	Eliminate - 2
CFA-677	Liquid Fuel Pumphouse at CFA-754 Tank Farm	One story. Walls: concrete block. Floor: concrete.	Built: 1951. Status: demolished 1997 during removal action. Use: pump for liquid fuels.	OU 4-08/CFA-08	Eliminate - 3
CFA-678	Security Storage Building	One story. Walls: corrugated steel on steel frame. Roof: corrugated steel. Floor: concrete.	Built: 1951. Status: demolished, date unknown. Use: storage of security equipment.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 3

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-679	DOE-ID Fire Station (part)	One story building. Walls: masonry brick exterior and interior. Floor: concrete. Roof: metal deck with built-up roof.	Built: 1989. Status: active. Use: battery bank, converter, and propane generator for emergency power.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-680	Storage	One story. Walls: block. Roof: asphalt. Floor: concrete.	Built: 1951. Status: inactive 1995. Use: storage of excess equipment.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 3
CFA-681	Substation Control House	One story. Walls: masonry exterior, concrete on steel frame. Floor: concrete.	Built: 1951. Status: active. Use: houses computerized control equipment for the CFA substation.	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-682	Pumphouse	One story. Walls: concrete block. Roof: concrete. Floor: concrete.	Built: 1950. Status: demolished 1994. Use: houses emergency water pumps for fire suppression.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 3
CFA-683	Equipment Dispatch Building	One story. Walls: wood frame building with basement. Roof: unknown.	Built: 1951. Status: demolished, date unknown. Use: living quarters, later used as offices.	Plan No. 110248	Eliminate - 3
CFA-684	Flammable Storage (paint)	One story. Walls: corrugated steel on steel frame. Roof: corrugated steel. Floor: concrete.	Built: 1952. Status: demolished, date unknown. Use: storage of paints and paint thinner for use at the Multicrafts shops CFA-623 and 624.	INEL Emergency Plan/RCRA Contingency Plan (PLN-114) and 1995 SARA Title III	Eliminate - 4

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-685	Bus Depot Mail Room	One story. Walls: concrete block. Roof: composition on concrete. Floor: concrete.	Built: 1952. Status: active. Use: offices, waiting room, and mail room.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 3
CFA-686	CFA High Bay Lab Building adjacent to CFA-688	Two story. Roof: composition on concrete deck. Walls: reinforced concrete. Floor: concrete.	Built: 1979. Status: active. Use: laboratory for development of mechanical prototypes.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-687	Lead Shop	One story with 10,000 to 50,000 lb hoists. Walls: corrugated iron on steel frame. Roof: corrugated steel. Floor: concrete.	Built: 1953. Status: inactive. Use: excess lead storage.	Hazard Assessment for CFA (INEL-95/0008)	Eliminate - 2
CFA-688	Engineering Building Technical Center	One story. Walls: concrete block. Walls: 8-in. reinforced hollow concrete block. Floor: concrete.	Built: 1963. Status: active. Use: offices, calibration laboratory, printing office, and boiler.	CFA Building and Structure Utilization Database, 1998	Eliminate - 4
CFA-689	Engineering Building Technical Center	Two story. Roof: composition on steel deck on steel beams on steel columns. Walls: concrete block. Floor: concrete.	Built: 1963. Status: active. Use: offices, assembly of equipment and instruments.	INEL Emergency Plan/RCRA Contingency Plan (PLN-114) and 1995 SARA Title III	Eliminate - 4

Table 1. Results of Buildings and Structures Screening.

Facility Number	Facility Name	Description	Background Information	Management Control Documents/Sources of Information	Screening - Criterion
CFA-690	Radiological and Environmental Sciences Lab	One story with partial basement. Walls: concrete block. Roof: composition on metal deck. Floor: concrete.	Built: 1963. Status: active. Use: offices, lunchroom, labs, flammable liquids vault, still for distilled water, machine shop, conference room, and emergency equipment storage.	INEL Emergency Plan/RCRA Contingency Plan (PLN-114) and 1995 SARA Title III	Eliminate - 4
CFA-691	Pumphouse at Old Sewage Treatment Plant	One story. Wood frame. Walls: covered with wood siding Roof: asbestos shingles. Floor: concrete.	Built: 1953. Status: inactive 1995. Use: pumphouse for sewage, sludge pit (abandoned, low-level contamination), digester, and skimmer.	OU 4-08/CFA-08	Eliminate - 1
CFA-692	Scale House at Truck Weighing Scales	One story. Walls: wood frame. Roof: shingle. Floor: concrete.	Built: 1950. Status: inactive. Use: housing for a 100,000 lb. capacity scale to weigh and record shipments.	CFA Building and Structure Utilization Database, 1998	Eliminate - 3
CFA-695	Life Safety Test Facility (behind Technical Center)	One story. Exterior walls: masonry, concrete or steel frame. Floor: concrete.	Built: 1966. Status: active. Use: houses facility to repair, fill, and store fire prevention equipment.	"	Eliminate - 3
CFA-696 (old structure)	Storage for NOAA	One story. Roof: built-up. Walls: wood frame.	Built: 1952. Status: demolished, date unknown. Use: originally housed a dispatch office, later housed weather observation equipment.	1995 SARA Title III	Eliminate - 3